सीएसआईआर – उत्तर पूर्व विज्ञान एवं प्रौद्योगिकी संस्थान

CSIR – NORTH-EAST INSTITUTE OF SCIENCE AND TECHNOLOGY (Council of Scientific & Industrial Research)

जोरहाट: JORHAT: असम: ASSAM

NIT No. 3(POQ)/03/18 - 19/PUR/T - 08

Date: 11.05.2018.

Note: Please send your quotation in **ONLINE** as per the time schedule given in online tender notice.

To,

Prospective bidders
Through CPP Portal
https://www.etenders.gov.in

Dear Sirs,

Kindly arrange to send your offer **ONLINE in SINGLE BID System** quoting this office file / NIT reference on the uploaded offer within due-date and time as per the terms & conditions given in this NIT:

| | SI. Description of the Item | | |
|-----|--|--------|--|
| No. | Description of the Item | Qty. | |
| 1. | Supply & Installation of Mini Incinerator. | 01 No. | |
| | Specifications: | | |
| | Capacity should be 5 kg to 10 kg. | | |
| | Burning Efficiency: 98% or more | | |
| | Noise should be <78db or better. | | |
| | Working Temperature should be upto 1200°C or as required. Having dual chamber with Temperature of Primary / Burning chamber up to 800°C ±50°C for burning waste and for secondary chamber for exhaust gas combustion 1050°C±50°C Should be Electric and Front Loading Type Body construction should be Mild steel, painted with heat resistant aluminium paint | | |
| | Should be with safety alarm, have emergency vent | | |
| | Should be with monitoring device | | |
| | Should have air pollution control device | | |
| | Should have certification from CE and ISO | | |
| | Should not produce smoke, fumes, odour and fly ashes | | |
| | Heaters / Elements should be made up of A – 1 kanthal wire 14 gauge for primary chamber & 17 gauge for secondary chamber. | | |
| | Should have strong insulation with combination of insulating bricks & silicon fiber insulating blanket to avoid any heat loss. Portable with sturdy wheels. | | |

Last Date and Time for Submission of Bids: 29.05.2018 at 11:00 AM Date and Time of Opening of Bids: 30.05.2018 at 11:00 PM

Details available on https://www.etenders.gov.in

भंडार एवं क्रयू अधिकारी Stores & Purchase Officer

Tel: 91 – 0376 – 2372710, Fax: 91 – 0376 – 2372921, E-mail: spo@neist.res.in